

# ACCESS & TIME MANAGEMENT SYSTEM

## VV-BS551FP-CAT5

DUAL AUTHENTICATION FINGERPRINT + RFID TA SYSTEM



### FEATURES

- Scratch Proof optical sensor
- Fingerprint/Pin/Card authentication
- 360° verification angle
- 2.0" TFT Color screen
- TCP-IP network connectivity
- Supports USB flash drive
- High performance sensing with <1.0s identification time
- Inbuilt access control functionality



2.0" Color  
LCD Display



TCP/IP



Access  
Control



Touch  
Keypad

## TECHNICAL SPECIFICATIONS

### W-BS551FP-CAT5

Hardware & Platform	CPU	Quad-core Cortex™-A7)
	Memory	64M RAM, 256M Flash
	Sensor	Scratch proof High performance optical sensor
	OS	Embedded Linux OS
	Operation mode	Offline / Online
	Display	2.0" TFT Color screen
	Keypad	Alpha-numeric backlit touch keypad
	Indicators	Audio visual indication
Operation Capacity	Fingerprint User Capacity	3000 (standard), 5000 (optional)
	Card User Capacity	3000
	Transaction Capacity	200,000 logs
Verification	Verification Angle	360° verification angle
	FAR/ FRR	<0.01/<0.0001
	Verification Time	1.0 seconds
	Algorithm	Advanced Smart finger algorithm V 15.0
	Verification Mode	1:1; 1:N
	Authentication Modes	Fingerprint / password / EM Card / Fingerprint + password / EM Card + password
Operational Features	Real time Clock	Supported
	Voice Notification	Supported
	Card Reader	Inbuilt 125 Khz EM card reader
	Languages	Multi-language support
	Card Reader Range	3-5 cm read range
	Exit Reader	Supports slave fingerprint reader
	Door Bell Function	Supported
	Access Control Support	Door Relay Access control function with NO-NC support
Communication	Ethernet	TCP/IP, RS485/WAN Remote
	USB	Supports USB flash drive
	Weigand Input/Output	Weigand 26 /34
Power	Power requirement	DC12V
Environmental	Working Temperature	10°C-50°C
	Operating Humidity	20%~60%
Mechanical	Enclosure Material	ABS polycarbonate
	Dimension	185x64x47mm
Certifications	Certifications	CE, FCC, ROHS

\*Exact products and specifications shown may vary by geographic region and are subject to change without notice. Weights and measurements are approximate and may vary.



TECHNICAL SPECIFICATIONS

**WV-BS551FP-CAT5**

DIMENSION:



**VANTAGE INTEGRATED SECURITY SOLUTIONS LIMITED**

B3, Bredon House 321, Tenttenhall Road Tettenhall, Wolverhampton

West Midlands, WV6 0JZ United Kingdom

Ph:+44-1902-793383, Email: sales@vantagesecurity.com

[www.vantagesecurity.com](http://www.vantagesecurity.com)

(AN ISO 9001 : 2008, ISO 14001 : 2004 CERTIFIED COMPANY)

